

AUTOCONTROLLO SETTIMANALE - ANNO 2011

ZINCO ALCALINO - LINEA 1		
Data	ZINCO Gr/lt	KOH Gr/lt
27-dic-10	12,4222	157,92
3-gen-11	12,7491	156,8
10-gen-11	13,7298	154,56
17-gen-11	15,3643	150,08
24-gen-11	16,6719	162,4
31-gen-11	16,6719	161,28
7-feb-11	17,9795	154,56
14-feb-11	18,3064	155,68
21-feb-11	18,9602	153,44
1-mar-11	9,807	151,2
7-mar-11	10,1339	157,92
14-mar-11	13,076	157,92
21-mar-11	14,0567	159,04
28-mar-11	6,2111	132,16
4-mar-11	8,1725	153,44
11-apr-11	7,52	141,12
18-apr-11	5,88	151,20
26-apr-11	6,54	147,84
2-mag-11	6,86	157,92
10-mag-11	9,81	145,60
16-mag-11	9,81	144,48
23-mag-11	9,81	159,04
30-mag-11	9,48	159,04
6-giu-11	9,48	159,04
13-giu-11	7,85	152,32
20-gen-00	8,50	159,04
27-giu-11	8,83	159,04
4-lug-11	11,44	156,80
11-lug-11	10,46	152,32
18-lug-11	11,11	160,16
21-lug-11	10,46	157,92
25-lug-11	12,42	159,04
1-ago-11	12,10	154,56
5-set-11	11,77	138,88
12-set-11	15,04	161,28
19-set-11	13,40	161,28
26-set-11	12,75	160,16
3-ott-11	BAGNO	FERMATO
10-ott-11	11,77	140,00
17-ott-11	9,48	162,40
24-ott-11	10,13	157,92
31-ott-11	9,15	157,92
7-nov-11	11,44	151,20
14-nov-11	9,81	148,96
21-nov-11	9,81	160,16
29-nov-11	6,86	159,04
5-dic-11	8,50	154,56
12-dic-11	8,50	153,44
19-dic-11	10,79	153,44
28-dic-12	9,81	148,96

ZINCO ALCALINO - LINEA 4		
Data	ZINCO Gr/lt	KOH Gr/lt
27-dic-10	17,6526	168
3-gen-11	17,9795	162,4
10-gen-11	17,9795	160,16
17-gen-11	18,3064	159,04
24-gen-11	11,7684	160,16
31-gen-11	14,7105	166,88
7-feb-11	13,076	162,4
14-feb-11	11,1146	160,16
21-feb-11	10,1339	168
1-mar-11	10,1339	164,64
7-mar-11	9,4801	161,28
14-mar-11	10,1339	168
21-mar-11	10,4608	164,64
28-mar-11	9,4801	168
4-apr-11	6,8649	180,32
11-apr-11	9,4801	181,44
18-apr-11	11,4415	180,32
26-apr-11	12,0953	178,08
2-mag-11	12,4222	176,96
10-mag-11	10,1339	174,72
16-mag-11	11,1146	170,24
23-mag-11	10,7877	180,32
30-mag-11	10,4608	178,08
6-giu-11	9,4801	174,72
13-giu-11	8,8263	176,96
20-giu-11	8,1725	176,96
27-giu-11	10,4608	179,2
4-lug-11	14,3836	178,08
11-lug-11	13,4029	173,6
18-lug-11	11,4415	173,6
25-lug-11	12,7491	172,48
1-ago-11	13,4029	170,24
22-ago-11	16,9988	166,88
5-set-11	15,6912	157,92
12-set-11	16,0181	168
23-set-11	15,3643	176,96
26-set-11	14,7105	174,72
3-ott-11	11,4415	180,32
10-ott-11	10,1339	179,2
17-ott-11	13,076	180,32
24-ott-11	15,3643	179,2
31-ott-11	16,0181	174,72
7-nov-11	16,9988	179,2
14-nov-11	17,3257	175,84
21-nov-11	15,0374	179,2
29-nov-11	13,4029	179,2
5-dic-11	11,4415	176,96
12-dic-11	11,1146	179,2
19-dic-11	11,1146	176,96
28-dic-11	10,7877	174,72

AUTOCONTROLLO SETTIMANALE - ANNO 2011

ORO SPESSORE		
Data	ORO Gr/lt	ORO SALE
3-gen-11	4,50	6,615
10-gen-11	4,50	6,615
17-gen-11	3,70	5,439
24-gen-11	3,80	5,586
31-gen-11	3,50	5,145
2-feb-11	BAGNO	NUOVO
8-feb-11	5,80	8,526
9-feb-11	5,40	7,938
14-feb-11	5,40	7,938
21-feb-11	5,40	7,938
1-mar-11	3,40	4,998
7-mar-11	4,70	6,909
14-mar-11	4,10	6,027
21-mar-11	3,90	5,733
28-mar-11	3,80	5,586
4-apr-11	2,50	3,675
11-apr-11	2,10	3,087
18-apr-11	2,80	4,116
26-apr-11	2,50	3,675
2-mag-11	2,40	3,528
5-mag-11	5,00	7,35
10-mag-11	4,00	5,88
16-mag-11	3,40	4,998
23-mag-11	2,70	3,969
30-mag-11	3,00	4,41
6-giu-11	2,70	3,969
13-giu-11	2,20	3,234
17-giu-11	5,30	7,791
20-giu-11	4,30	6,321
27-giu-11	3,10	4,557
4-lug-11	2,50	3,675
11-lug-11	2,10	3,087
18-lug-11	4,70	6,909
25-lug-11	7,26	10,6722
1-ago-11	5,10	7,497
5-set-11	2,90	4,263
12-set-11	2,30	3,381
19-set-11	1,90	2,793
26-set-11	4,60	6,762
3-ott-11	2,60	3,822
10-ott-11	2,50	3,675
17-ott-11	2,20	3,234
24-ott-11	2,20	3,234
31-ott-11	1,80	2,646
7-nov-11	1,70	2,499
14-nov-11	4,00	5,88
21-nov-11	3,70	5,439
29-nov-11	1,70	2,499
5-dic-11	1,70	2,499
12-dic-11	1,50	2,205
19-dic-11	3,80	5,586
28-dic-11	4,10	6,027

ARGENTO OPACO		
Data	KCN Gr/lt	AgCN
27-dic-10	122,20	28,054
3-gen-11	123,50	28,188875
10-gen-11	119,60	28,32375
17-gen-11	137,80	28,188875
24-gen-11	136,50	27,919125
31-gen-11	135,20	27,5145
7-feb-11	133,90	27,379625
14-feb-11	133,90	27,379625
21-feb-11	133,90	27,379625
1-mar-11	132,60	27,379625
7-mar-11	132,60	27,379625
14-mar-11	127,40	26,70525
21-mar-11	127,40	26,570375
28-mar-11	126,10	26,4355
4-apr-11	123,50	26,16575
11-apr-11	140,40	26,570375
18-apr-11	132,60	27,24475
26-apr-11	131,30	30,212
2-mag-11	127,40	31,965375
10-mag-11	130,00	30,48175
16-mag-11	130,00	30,212
23-mag-11	131,30	30,212
30-mag-11	131,30	30,212
6-giu-11	131,30	30,212
13-giu-11	128,70	29,267875
20-giu-11	131,30	31,56075
27-giu-11	130,00	33,17925
4-lug-11	130,00	33,9885
11-lug-11	130,00	33,9885
18-lug-11	128,70	33,9885
25-lug-11	128,70	33,583875
1-ago-11	128,70	33,314125
5-set-11	128,70	33,314125
12-set-11	128,70	33,314125
19-set-11	127,40	33,314125
26-set-11	127,40	33,314125
3-ott-11	127,40	33,314125
10-ott-11	127,40	33,044375
17-ott-11	127,40	33,044375
24-ott-11	127,40	33,044375
31-ott-11	124,80	32,774625
7-nov-11	124,80	32,504875
14-nov-11	124,80	32,63975
21-nov-11	123,50	33,044375
29-nov-11	123,50	32,63975
5-dic-11	114,40	32,774625
12-dic-11	114,40	32,774625
19-dic-11	114,40	32,774625
28-dic-11	114,40	32,774625

AUTOCONTROLLO SETTIMANALE - ANNO 2011

DECAPAGGIO 3	
Data	HCl Gr/lt
3-gen-11	79,73
10-gen-11	77,452
17-gen-11	72,896
20-gen-11	NUOVO
24-gen-11	293,862
31-gen-11	291,584
7-feb-11	277,916
14-feb-11	264,248
21-feb-11	264,248
1-mar-11	259,692
7-mar-11	250,58
14-mar-11	241,468
21-mar-11	243,746
28-mar-11	241,468
4-apr-11	234,634
11-apr-11	225,522
18-apr-11	218,688
26-apr-11	214,132
2-mag-11	216,41
10-mag-11	209,576
16-mag-11	205,02
23-mag-11	200,464
30-mag-11	195,908
6-giu-11	179,962
13-giu-11	175,406
20-giu-11	173,128
27-giu-11	170,85
4-lug-11	166,294
11-lug-11	164,016
18-lug-11	161,738
25-lug-11	157,182
1-ago-11	148,07
5-set-11	134,402
12-set-11	123,012
23-set-11	116,178
26-set-11	109,344
3-ott-11	104,788
10-ott-11	107,066
17-ott-11	104,788
24-ott-11	107,066
31-ott-11	102,51
7-nov-11	100,232
14-nov-11	97,954
21-nov-11	100,232
29-nov-11	95,676
5-dic-11	102,51
12-dic-11	95,676
19-dic-11	95,676
28-dic-11	91,12

DECAPAGGIO 4	
Data	HCl Gr/lt
3-gen-10	82
10-gen-11	80
17-gen-11	77
20-gen-11	NUOVO
24-gen-11	230
31-gen-11	223
7-feb-11	216
14-feb-11	210
21-feb-11	212
1-mar-11	198
7-mar-11	191
14-mar-11	194
21-mar-11	189
28-mar-11	182
4-apr-11	180
11-apr-11	175
18-apr-11	171
26-apr-11	169
2-mag-11	169
10-mag-11	162
16-mag-11	157
23-mag-11	153
30-mag-11	148
6-giu-11	150
13-giu-11	141
20-giu-11	139
27-giu-11	137
4-lug-11	132
11-lug-11	128
18-lug-11	125
25-lug-11	123
1-ago-11	125
5-set-11	128
12-set-11	118
19-giu-11	112
26-set-11	105
3-ott-11	96
10-ott-11	98
17-ott-11	103
24-ott-11	100
31-ott-11	96
7-nov-11	93
14-nov-11	89
21-nov-11	91
29-nov-11	87
5-dic-11	82
12-dic-11	77
19-dic-11	77
28-dic-11	77

PASSIVAZIONE Cr V	
Data	Cr VI Gr/L
3-gen-11	5,3
10-gen-11	5,7
17-gen-11	6,0
24-gen-11	6,0
31-gen-11	6,0
7-feb-11	6,0
14-feb-11	6,3
21-feb-11	6,3
1-mar-11	6,7
7-mar-11	6,3
14-mar-11	6,3
21-mar-11	6,0
28-mar-11	5,7
4-apr-11	5,3
11-apr-11	6,0
18-apr-11	5,7
26-apr-11	5,7
2-mag-11	6,0
10-mag-11	5,3
16-mag-11	6,0
23-mag-11	6,0
30-mag-11	6,0
6-giu-11	7,7
13-giu-11	7,3
20-giu-11	8,3
27-giu-11	8,0
4-lug-11	7,7
11-lug-11	7,0
18-lug-11	6,0
25-lug-11	6,7
1-ago-11	7,7
5-set-11	7,7
12-feb-11	7,7
19-set-11	6,0
26-set-11	6,0
3-ott-11	7,3
10-ott-11	7,3
17-ott-11	7,3
24-ott-11	8,0
31-ott-11	8,0
7-nov-11	8,0
14-nov-11	8,7
21-nov-11	8,7
29-nov-11	8,7
5-dic-11	9,7
12-dic-11	9,3
19-dic-11	9,3
28-dic-11	9,0

AUTOCONTROLLO SETTIMANALE - ANNO 2011

OSSIDAZIONE ANODICA SOLFORICA DURA		
Data	Acido Solforico Gr/L	Alluminio Gr/L
3-gen-11	173,24	5,67
10-gen-11	170,80	6,12
17-gen-11	168,36	6,57
21-gen-11	0,00	0,00
24-gen-11	146,40	3,42
31-gen-11	146,40	3,42
7-feb-11	178,12	3,51
14-feb-11	178,12	3,69
21-feb-11	178,12	3,69
1-mar-11	180,56	2,34
7-mar-11	178,12	2,61
14-mar-11	178,12	2,79
21-mar-11	178,12	2,97
28-mar-11	175,68	3,06
4-apr-11	173,24	3,15
11-apr-11	178,12	3,15
18-apr-11	175,68	3,24
26-apr-11	175,68	3,42
2-mag-11	173,24	3,51
10-mag-11	170,80	3,60
16-mag-11	178,12	3,87
23-mag-11	175,68	3,96
30-mag-11	170,80	4,50
6-giu-11	175,68	4,68
13-giu-11	168,36	5,13
20-giu-11	180,56	5,58
27-giu-11	168,36	5,67
4-lug-11	168,36	6,03
11-lug-11	161,04	3,96
18-lug-11	161,04	3,96
25-lug-11	156,16	4,14
1-ago-11	158,60	4,23
5-set-11	151,28	4,32
12-set-11	163,48	5,49
19-giu-11	156,16	7,92
26-set-11	148,84	8,73
3-ott-11	170,80	9,18
10-ott-11	165,92	9,54
17-ott-11	156,16	10,08
24-ott-11	151,28	10,62
31-ott-11	148,84	10,89
7-nov-11	146,40	11,16
10-nov-11	0,00	0,00
11-nov-11	156,16	3,06
14-nov-11	173,24	3,33
21-nov-11	170,80	3,60
29-nov-11	165,92	3,96
5-dic-11	158,60	4,23
12-dic-11	173,24	4,41
19-dic-11	170,80	5,22
28-dic-11	178,12	5,49

OSSIDAZIONE ANODICA SOLFORICA NATURALE		
Data	Acido Solforico Gr/L	Alluminio Gr/L
3-gen-11	158,60	7,65
10-gen-11	158,60	7,83
17-gen-11	158,60	8,55
21-gen-11	0,00	0
24-gen-11	146,40	3,42
31-gen-11	146,40	3,78
7-feb-11	175,68	3,42
14-feb-11	175,68	3,6
21-feb-11	168,36	3,69
1-mar-11	165,92	3,96
7-mar-11	158,60	4,05
14-mar-11	158,60	4,05
21-mar-11	183,00	4,23
28-mar-11	175,68	4,32
4-apr-11	168,36	4,59
11-apr-11	178,12	4,77
18-apr-11	173,24	5,13
26-apr-11	173,24	5,31
2-mag-11	168,36	5,49
10-mag-11	163,48	6,03
16-mag-11	170,80	6,48
23-mag-11	163,48	7,29
30-mag-11	158,60	7,65
6-giu-11	178,12	8,37
13-giu-11	173,24	8,55
20-giu-11	175,68	9
27-giu-11	170,80	9,54
4-lug-11	175,68	9,9
11-lug-11	161,04	4,68
18-lug-11	161,04	4,68
25-lug-11	158,60	4,77
1-ago-11	161,04	4,86
5-set-11	146,40	5,76
12-set-11	173,24	6,21
23-set-11	170,80	7,38
26-set-11	168,36	8,37
3-ott-11	173,24	8,91
10-ott-11	168,36	9,09
17-ott-11	165,92	9,36
24-ott-11	156,16	9,9
31-ott-11	156,16	10,26
7-nov-11	153,72	10,35
10-nov-11	0,00	0
11-nov-11	153,72	3,87
14-nov-11	175,68	3,96
21-nov-11	175,68	4,14
29-nov-11	175,68	4,5
5-dic-11	168,36	4,59
12-dic-11	175,68	4,68
19-dic-11	173,24	4,95
28-dic-11	178,12	5,13

AUTOCONTROLLO SETTIMANALE - ANNO 2011

NICHEL Elettrolitico				
Data	Nichel Metallo	Nichel Cloruro	Acido Borico	Nichel Solfato
3-gen-11	57,43	85,68	24,60	173,71
10-gen-11	58,01	86,87	24,60	175,11
17-gen-11	57,43	85,68	24,60	173,71
24-gen-11	57,43	86,87	24,60	172,30
31-gen-11	57,43	86,87	24,60	172,30
7-feb-11	56,84	88,06	24,60	168,09
14-feb-11	56,26	86,87	24,60	166,69
21-feb-11	57,43	89,25	24,60	169,49
1-mar-11	56,84	88,06	24,60	168,09
7-mar-11	56,26	85,68	23,37	168,10
14-mar-11	55,67	84,49	23,37	166,70
21-mar-11	55,67	84,49	23,37	166,70
28-mar-11	55,67	83,30	23,37	168,10
4-apr-11	55,08	83,30	23,37	165,30
11-apr-11	55,08	83,30	23,37	165,30
18-apr-11	54,50	83,30	23,37	162,49
26-apr-11	54,50	83,30	23,37	162,49
2-mag-11	53,91	83,30	23,37	159,68
10-mag-11	53,91	83,30	23,37	159,68
16-mag-11	54,50	83,30	24,60	162,49
23-mag-11	53,91	83,30	24,60	159,68
30-mag-11	54,50	85,68	25,83	159,67
6-giu-11	53,91	88,06	25,83	154,05
13-giu-11	54,50	89,25	27,06	155,45
20-giu-11	53,91	86,87	27,06	155,46
27-giu-11	54,50	89,25	28,29	155,45
4-lug-11	53,91	88,06	25,83	154,05
11-lug-11	53,91	88,06	25,83	154,05
18-lug-11	53,91	88,06	25,83	154,05
25-lug-11	53,91	88,06	25,83	154,05
1-ago-11	53,91	88,06	25,83	154,05
5-set-11	53,91	88,06	25,83	154,05
12-set-11	53,91	88,06	25,83	154,05
19-set-11	53,91	88,06	25,83	154,05
26-set-11	53,91	86,87	24,60	155,46
3-ott-11	53,33	86,87	24,60	152,65
10-ott-11	53,33	85,68	24,60	154,06
17-ott-11	53,33	85,68	24,60	154,06
24-ott-11	53,33	85,68	24,60	154,06
31-ott-11	53,33	85,68	24,60	154,06
7-nov-11	53,33	85,68	24,60	154,06
14-nov-11	53,91	86,87	25,83	155,46
21-nov-11	53,91	86,87	25,83	155,46
29-nov-11	53,91	84,49	24,60	158,28
5-dic-11	53,91	84,49	24,60	158,28
12-dic-11	53,91	84,49	24,60	158,28
19-dic-11	53,91	84,49	24,60	158,28
28-dic-11	53,91	84,49	24,60	158,28

SGRASSATURA CHIMICA	
Data	Gr/L
3-gen-11	72,1
10-gen-11	71,0
17-gen-11	66,8
24-gen-11	65,2
31-gen-11	85,7
7-feb-11	83,6
14-feb-11	82,1
21-feb-11	80,0
1-mar-11	46,8
7-mar-11	73,1
14-mar-11	67,3
21-mar-11	69,4
28-mar-11	92,1
4-apr-11	89,4
11-apr-11	85,2
18-apr-11	79,4
26-apr-11	77,8
2-mag-11	71,0
10-mag-11	71,5
16-mag-11	91,0
23-mag-11	87,3
30-mag-11	44,7
6-giu-11	80,0
13-giu-11	68,4
20-giu-11	87,3
27-giu-11	95,2
4-lug-11	76,8
11-lug-11	73,1
18-lug-11	83,1
25-lug-11	81,5
1-ago-11	80,0
5-set-11	74,2
12-set-11	90,5
19-giu-11	90,5
26-set-11	89,9
3-ott-11	34,2
10-ott-11	74,7
17-ott-11	90,5
24-ott-11	90,5
31-ott-11	68,9
7-nov-11	68,9
14-nov-11	47,3
21-nov-11	72,1
29-nov-11	93,6
5-dic-11	87,8
12-dic-11	65,8
19-dic-11	68,4
28-dic-11	67,3

AUTOCONTROLLO SETTIMANALE - ANNO 2011

RAME ALCALINO			
Data	Rame Metallo	Rame Cianuro	Potassio Cianuro
3-gen-11	29,90	41,86	7,93
10-gen-11	29,80	41,72	7,93
17-gen-11	30,10	42,14	8,06
24-gen-11	29,80	41,72	7,93
31-gen-11	29,90	41,86	7,41
7-feb-11	30,20	42,28	7,28
14-feb-11	30,40	42,56	7,41
21-feb-11	30,20	42,28	8,06
1-mar-11	29,10	40,74	8,32
7-mar-11	29,10	40,74	8,32
14-mar-11	26,40	36,96	8,45
21-mar-11	27,20	38,08	8,45
28-mar-11	27,10	37,94	8,58
4-apr-11	27,30	38,22	8,45
11-apr-11	27,40	38,36	8,32
18-apr-11	26,20	36,68	7,54
26-apr-11	25,80	36,12	6,89
2-mag-11	24,10	33,74	6,63
10-mag-11	22,50	31,50	6,50
16-mag-11	22,70	31,78	6,63
23-mag-11	22,40	31,36	6,63
30-mag-11	22,60	31,64	6,76
6-giu-11	22,40	31,36	7,02
13-giu-11	22,10	30,94	6,89
20-giu-11	24,60	34,44	6,76
27-giu-11	25,10	35,14	6,63
4-lug-11	25,10	35,14	6,63
11-lug-11	25,30	35,42	6,89
18-lug-11	25,10	35,14	6,76
25-lug-11	25,10	35,14	6,76
1-ago-11	25,10	35,14	6,63
5-set-11	25,10	35,14	6,24
12-set-11	25,10	35,14	6,24
19-set-11	25,10	35,14	6,24
26-set-11	25,10	35,14	6,24
3-ott-11	17,90	25,06	6,24
10-ott-11	18,10	25,34	6,11
17-ott-11	17,60	24,64	6,11
24-ott-11	17,60	24,64	6,11
31-ott-11	18,40	25,76	5,85
7-nov-11	19,70	27,58	10,53
14-nov-11	18,60	26,04	9,49
21-nov-11	18,90	26,46	9,36
29-nov-11	18,40	25,76	9,23
5-dic-11	18,60	26,04	8,45
12-dic-11	18,60	26,04	9,23
19-dic-11	17,40	24,36	9,23
28-dic-11	17,30	24,22	9,23

SGRASSATURA ELETTROLITICA	
Data	Gr/L
3-nov-11	74,3
10-gen-11	73,7
17-gen-11	74,8
24-gen-11	72,6
31-gen-11	90,8
7-feb-11	86,9
14-feb-11	84,2
21-feb-11	80,9
1-mar-11	52,8
7-mar-11	74,3
14-mar-11	71,5
21-mar-11	67,1
28-mar-11	93,0
4-apr-11	88,0
11-apr-11	84,2
18-apr-11	78,1
26-apr-11	76,5
2-mag-11	71,5
10-mag-11	66,0
16-mag-11	86,4
23-mag-11	84,7
30-mag-11	56,7
6-giu-11	86,4
13-giu-11	75,4
20-giu-11	93,0
27-giu-11	99,0
4-lug-11	86,4
11-lug-11	77,6
18-lug-11	90,8
25-lug-11	85,8
1-ago-11	83,6
5-set-11	74,8
12-set-11	92,4
19-set-11	94,6
26-set-11	94,1
3-ott-11	62,2
10-ott-11	74,8
17-ott-11	95,2
24-ott-11	90,8
31-ott-11	94,1
7-nov-11	95,2
14-nov-11	94,1
21-nov-11	88,0
29-nov-11	94,6
5-dic-11	87,5
12-dic-11	74,8
19-dic-11	75,4
28-dic-11	75,9

AUTOCONTROLLO SETTIMANALE - ANNO 2011

RAME ACIDO vasca 7			
Data	Rame Metallo Gr/L	Rame Solfato Gr/L	Acido Solforico Gr/L
3-gen-11	26,30	103,36	209,72
10-gen-11	26,40	103,75	209,72
17-gen-11	26,70	104,93	211,68
24-gen-11	26,80	105,32	212,66
31-gen-11	26,60	104,54	212,17
7-feb-11	26,70	104,93	211,68
14-feb-11	26,80	105,32	212,17
21-feb-11	25,70	101,00	211,19
1-mar-11	24,70	97,07	208,74
7-mar-11	24,20	95,11	208,74
14-mar-11	23,40	91,96	209,23
21-mar-11	24,30	95,50	208,74
28-mar-11	24,20	95,11	207,76
4-apr-11	24,10	94,71	206,78

RAME ACIDO vasca 8			
Data	Rame Metallo Gr/L	Rame Solfato Gr/L	Acido Solforico Gr/L
3-gen-11	23,10	90,78	208,25
10-gen-11	23,40	91,96	206,29
17-gen-11	23,50	92,36	207,27
24-gen-11	23,30	91,57	207,76
31-gen-11	23,20	91,18	208,74
7-feb-11	23,40	91,96	209,72
14-feb-11	22,70	89,21	208,74
21-feb-11	21,80	85,67	206,29
1-mar-11	21,40	84,10	204,33
7-mar-11	21,40	84,10	204,33
14-mar-11	13,00	51,09	111,23
21-mar-11	15,80	62,09	208,25
28-mar-11	26,20	102,97	207,27
4-apr-11	25,80	101,39	206,78
11-apr-11	25,40	99,82	206,29
18-apr-11	25,60	100,61	206,78
26-apr-11	25,80	101,39	207,76
2-mag-11	26,20	102,97	211,19
10-mag-11	26,10	102,57	211,68
16-mag-11	25,80	101,39	211,19
23-mag-11	25,40	99,82	210,21
30-mag-11	25,60	100,61	211,19
6-giu-11	25,50	100,22	212,17
13-giu-11	25,20	99,04	212,17
20-giu-11	25,20	99,04	211,68
27-giu-11	24,90	97,86	211,68
4-lug-11	24,90	97,86	211,19
11-lug-11	24,50	96,29	209,23
18-lug-11	24,40	95,89	209,23
25-lug-11	24,10	94,71	209,23
1-ago-11	24,10	94,71	209,23
5-set-11	24,10	94,71	209,23
12-set-11	24,10	94,71	212,66
19-set-11	24,10	94,71	216,58
26-set-11	24,60	96,68	220,99
3-ott-11	22,30	87,64	150,92
10-ott-11	23,40	91,96	178,36
17-ott-11	23,10	90,78	181,79
24-ott-11	22,90	90,00	180,32
31-ott-11	24,00	94,32	154,35
7-nov-11	25,40	99,82	153,86
14-nov-11	22,40	88,03	137,20
21-nov-11	22,80	89,60	167,58
29-nov-11	22,30	87,64	170,03
5-dic-11	22,60	88,82	174,44
12-dic-11	22,90	90,00	167,58
19-dic-11	25,60	100,61	193,55
28-dic-11	25,30	99,43	190,61

NICHEL CHIMICO			
Data	Nichel Metallo	Nichel aggiunto (Lt)	Ipofosfito aggiunto (Lt)
10-gen-11	6,0	0,0	0,0
11-gen-11	5,7	0,0	0,0
13-gen-11	5,5	0,0	0,0
14-gen-11	4,8	1,0	1,0
17-gen-11	6,0	0,0	0,0
18-gen-11	5,3	1,0	1,0
19-gen-11	4,8	1,0	1,0
19-gen-11	3,8	2,5	2,5
20-gen-11	5,2	0,5	0,5
21-gen-11	4,7	1,5	1,5
22-gen-11	4,8	1,0	1,0
24-gen-11	6,0	0,0	0,0
27-gen-11	5,3	0,5	0,5
3-feb-11	6,0	0,0	0,0
5-feb-11	5,3	0,5	0,5
15-feb-11	5,3	0,5	0,5
18-feb-11	6,0	0,0	0,0
23-feb-11	5,3	0,5	0,5
28-feb-11	6,0	0,0	0,0
3-mar-11	5,2	0,5	0,5
7-mar-11	3,7	2,5	2,5
8-mar-11	6,0	0,0	0,0
10-mar-11	5,2	0,5	0,5
14-mar-11	6,0	0,0	0,0
17-mar-11	5,1	0,5	0,5
22-mar-11	6,0	0,0	0,0
25-mar-11	3,7	2,5	2,5
30-mar-11	4,7	1,5	1,5
5-apr-11	6,0	0,0	0,0
8-apr-11	5,2	0,5	0,5
13-apr-11	4,7	1,5	1,5
14-apr-11	5,1	0,5	0,5
18-apr-11	6,0	0,0	0,0
20-apr-11	5,2	0,5	0,5
21-apr-11	5,1	0,5	0,5
27-apr-11	4,7	1,5	1,5
29-apr-11	4,7	1,5	1,5
2-mag-11	5,9	0,0	0,0
6-mag-11	4,7	1,5	1,5
9-mag-11	5,1	0,5	0,5
10-mag-11	4,9	1,0	1,0
12-mag-11	4,9	1,0	1,0
16-mag-11	6,0	0,0	0,0
19-mag-11	4,9	1,0	1,0
25-mag-11	4,7	1,5	1,5
27-mag-11	4,7	1,5	1,5
30-mag-11	6,0	0,0	0,0
7-giu-11	5,2	0,5	0,5
10-giu-11	4,9	1,0	1,0
13-giu-11	6,0	0,0	0,0
20-giu-11	4,9	1,0	1,0

[illegible]

AUTOCONTROLLO SETTIMANALE - ANNO 2011

SCRUBBER EMISSIONE (controllo PH)					
Data	Ossidazione anodica E 1	Decapaggio E 2	Nichelatura chimica (linea 1) E 7	Trattamenti nobili linea 5 E 9	Nichelatura chimica (linea 5) E
03-gen	6,56	6,48	6,67	6,81	6,68
10-gen	6,62	6,52	6,68	6,82	6,69
17-gen	6,58	6,57	6,61	6,76	6,61
24-gen	6,56	6,48	6,57	6,66	6,52
31-gen	6,54	6,42	6,54	6,61	6,51
07-feb	6,64	6,49	6,52	6,54	6,57
14-feb	6,59	6,42	6,62	6,58	6,52
21-feb	6,59	6,51	6,58	6,57	6,53
01-mar	6,65	6,57	6,63	6,61	6,59
07-mar	6,62	6,67	6,52	6,51	6,64
14-mar	6,56	6,52	6,61	6,54	6,62
21-mar	6,54	6,57	6,57	6,48	6,52
28-mar	6,48	6,62	6,52	6,42	6,59
04-apr	6,52	6,58	6,64	6,41	6,65
11-apr	6,56	6,64	6,65	6,52	6,57
18-apr	6,53	6,61	6,61	6,47	6,53
26-apr	6,46	6,53	6,48	6,52	6,45
02-mag	6,65	6,67	6,55	6,73	6,67
10-mag	6,63	6,56	6,62	6,65	6,58
16-mag	6,51	6,62	6,57	6,67	6,49
23-mag	6,59	6,51	6,58	6,57	6,53
30-mag	6,62	6,52	6,68	6,82	6,69
06-giu	6,52	6,58	6,64	6,41	6,65
13-giu	6,65	6,64	6,58	6,51	6,63
20-giu	6,54	6,62	6,64	6,54	6,68
27-giu	6,57	6,58	6,61	6,64	6,65
04-lug	6,48	6,52	6,57	6,54	6,51
11-lug	6,52	6,69	6,68	6,51	6,63
18-lug	6,62	6,65	6,58	6,54	6,68
25-lug	6,52	6,48	6,64	6,54	6,61
01-ago	6,66	6,52	6,66	6,57	6,62
05-set	6,53	6,56	6,61	6,45	6,67
12-set	6,58	6,49	6,65	6,59	6,64
19-set	6,61	6,58	6,63	6,57	6,54
26-set	6,54	6,47	6,54	6,62	6,58
03-ott	6,67	6,68	6,59	6,61	6,63
10-ott	6,69	6,75	6,48	6,59	6,72
17-ott	6,64	6,72	6,42	6,49	6,71
24-ott	6,58	6,51	6,57	6,52	6,64
31-ott	6,67	6,68	6,61	6,48	6,57
07-nov	6,72	6,58	6,72	6,62	6,71
14-nov	6,54	6,48	6,42	6,59	6,41
21-nov	6,48	6,67	6,43	6,42	6,58
29-nov	6,51	6,54	6,59	6,49	6,42
05-dic	6,66	6,58	6,72	6,65	6,67
12-dic	6,52	6,48	6,67	6,51	6,54
19-dic	6,41	6,57	6,43	6,57	6,47
28-dic	6,37	6,68	6,42	6,66	6,59